

Inventor : Thuriéau et al.  
 Serial No. : 09/719,457  
 Filed : June 13, 2001  
 Page : 2


**COMPLETE LISTING OF ALL CLAIMS WITH MARKINGS AND STATUS IDENTIFIERS**

(Currently amended claims showing deletions by ~~striketrough~~ and additions by underlining)

Claims 1-23 (canceled)

Claim 24. (currently amended): A compound of the formula

(R configuration)



the racemic-diastereomeric mixtures and optical isomers of said compound or a pharmaceutically acceptable salt thereof,


wherein

R<sup>3</sup> is -(CH<sub>2</sub>)<sub>m</sub>-E-(CH<sub>2</sub>)<sub>m</sub>-Z<sup>2</sup>;


E is O, S, -C(O)-, -C(O)-O-, -NH-C(O)-O-, -N-(C<sub>1</sub>-C<sub>6</sub>)alkyl-C(O)-O- or a bond;

Z<sup>2</sup> is H, (C<sub>1</sub>-C<sub>12</sub>)alkyl, amino, (C<sub>1</sub>-C<sub>12</sub>)alkylamino, N,N-di-(C<sub>1</sub>-C<sub>12</sub>)alkylamino, (C<sub>1</sub>-C<sub>12</sub>)alkylguanidino, or an unsubstituted or substituted moiety selected from the group consisting of phenyl, indolyl, imidazolyl, thiophene, benzothiophene, pyridinyl and naphthyl;

Z<sup>3</sup> is



or




and

X<sup>1</sup> is -(CH<sub>2</sub>)<sub>2</sub>-N(CH<sub>3</sub>)<sub>2</sub> and X<sup>2</sup> is benzyl; or


Inventor : Thuriéau et al.  
Serial No. : 09/719,457  
Filed : June 13, 2001  
Page : 3

X<sup>1</sup> and X<sup>2</sup> are taken together with the nitrogen atom to which they are attached, to form




Claims 25-26 (canceled)

Claim 27 (previously presented): A compound of the formula



Inventor : Thuriéau et al.  
Serial No. : 09/719,457  
Filed : June 13, 2001  
Page : 4

Claim 28 (previously presented): A compound of the formula



Claims 29-43 (canceled)